

Only 1 in 4 households in West and Central Africa have handwashing facilities with soap and water on premises

We do not know the proportion of schools in West and Central Africa that have handwashing facilities with soap and water available to students


We do not know the proportion of health care facilities in West and Central Africa that have functional hand hygiene facilities with soap and water or hand sanitizer



- Frequent and proper hand hygiene is one of the most important measures that can be used to prevent infection with the COVID-19 virus
- There are two main routes of transmission of the COVID-19 virus: respiratory and poor hygiene
- The COVID-19 virus has not been detected in drinking-water supplies, and based on current evidence, the risk to water supplies is low
- Currently, there is no evidence about the survival of the COVID-19 virus in drinking-water or sewage
- Conventional, centralized water treatment methods that use filtration and disinfection should inactivate the COVID-19 virus


Source: *Water, sanitation, hygiene, and waste management for the COVID-19 virus – Interim Guidance 23 March 2020, WHO and UNICEF*

Washing hands with soap and water at home receives too low a priority despite the availability of basic water services



Access to basic water and hygiene services in West and Central Africa, 2017 (households), 2016 (Schools)

Availability of basic water services does not seem to be the limiting factor for having a hand washing facility with soap and water at home




Access to at least basic water and basic hygiene services at household level for countries in West and Central Africa, 2017

SDG standards for basic WASH services at households, schools and health care facilities

	Water	Sanitation	Hygiene	Waste Management	Environmental Cleaning
Home	Drinking water from an improved source ¹ , provided collection time is not more than 30 minutes for a roundtrip including queuing	Use of improved facilities ² which are not shared with other households	Availability of a handwashing facility on premises with soap and water	<p><i>“SDG 6.1 and 6.2 on water, sanitation and hygiene call for the provision of WASH Services to Schools and Health Care Facilities”</i></p>	
Schools	Drinking water from an improved source is available at the school	Improved facilities, which are single-sex and usable at the school	Handwashing facilities at school, which have water and soap available		
Health Facilities	Water is available from an improved source on the premises.	Improved sanitation facilities are usable with at least one toilet dedicated for staff, at least one sex-separated toilet with menstrual hygiene facilities, and at least one toilet accessible for people with limited mobility	Functional hand hygiene facilities (with water and soap and/or alcohol-based hand rub) are available at points of care, and within 5 metres of toilets.		


¹ Improved water sources are those which by nature of their design and construction have the potential to deliver safe water. These include piped water, boreholes or tube wells, protected dug wells, protected springs, rainwater and, packaged or delivered water. ² Improved sanitation facilities are those designed to hygienically separate human excreta from human contact. These include wet sanitation technologies – such as flush and pour flush toilets connecting to sewers, septic tanks or pit latrines – and dry sanitation technologies – such as dry pit latrines with slabs, and composting toilets.

Only 1 in 4 people in West and Central Africa have a handwashing facility with soap and water on premises




West and Central Africa, regional, urban and rural hygiene ladders, 2017

372 million people in West and Central Africa do not have basic handwashing facilities with soap and water at home




Distribution of population without basic hygiene, West and Central African countries, 2017

There are large disparities in the availability of handwashing facilities at home between the poorest and richest in West and Central Africa




Inequalities in the proportion of population with handwashing facilities with soap and water by wealth quintiles, 2017 (%)

Handwashing with soap and water is more prevalent in urban than in rural areas of West and Central Africa



Inequalities in the proportion of population with handwashing facilities with soap and water by urban and rural areas, 2017 (%)

Large disparities in basic hand washing facilities with soap and water within Senegal and West and Central Africa




Population with basic hygiene facilities disaggregated by UNICEF regions, countries and Senegal provinces, urban-rural & wealth quintiles (%)
Sources: JMP 2019 and Senegal DHS 2017


"We must work to prevent the spread of disease. Improved water, sanitation and hygiene in health facilities is critical to this effort"

Remarks by the United Nations Secretary-General upon issuing a Global Call to Action for WASH in Health Facilities, March 2018

Few countries in West and Central Africa have comprehensive data about hygiene facilities in schools



The majority of health care facilities in West and Central Africa have handwashing facilities with soap and water at points of care



Coverage of hand hygiene facilities in schools, national, primary- and secondary schools, countries with nationally representative data available in West and Central Africa

Coverage of hand hygiene facilities at points of care and toilets in health care facilities, countries with nationally representative data available in West and Central Africa

Regularly washing hands with soap and water is a behaviour that is difficult to measure at the population level. Asking people if, or when, they WASH their hands usually does not result in reliable answers as most people will be over-reporting their own "good" behaviour. The presence in a household, school or health care facility of a dedicated place or facility for washing hands and the presence of soap and water at that facility, has shown to be a good predictor for people regularly washing their hands with soap and water. A global expert panel suggested that this indicator be used to estimate actual hand washing behavior among a population. This then became the indicator for the monitoring of the SDG hygiene targets.



For more information see: Practical Guide for Measuring Handwashing Behavior

<https://www.wsp.org/sites/wsp/files/publications/WSP-Practical-Guidance-Measuring-Handwashing-Behavior-2013-Update.pdf>

Country	Year	Households									Schools									Health Care Facilities															
		National			Rural			Urban			National			Primary			Secondary			National			Hospitals			Non-Hospitals									
		Basic	Limited (without water or soap)	No facility	Basic	Limited (without water or soap)	No facility	Basic	Limited (without water or soap)	No facility	Basic hygiene services	Limited hygiene services	No hygiene services	Basic hygiene services	Limited hygiene services	No hygiene services	Basic hygiene services	Limited hygiene services	No hygiene services	Basic hygiene services	Limited hygiene services	No hygiene services	Handwashing facilities at points of care	Handwashing facilities at toilets	Basic hygiene services	Limited hygiene services	No hygiene services	Basic hygiene services	Limited hygiene services	No hygiene services					
Benin	2017	11	16	73	6	17	77	17	15	68	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	90	-	-	-	-	-	-	-	-	-
Burkina Faso	2017	12	42	46	8	41	51	23	44	33	2016	18	-	-	18	-	-	-	-	-	-	2016	-	-	0	91	-	-	-	0	-	-	-	0	
Cabo Verde	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	-		
Cameroon	2017	9	5	85	3	6	91	15	5	81	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	71	-	-	-	-	-	-	-		
Central African Republic	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	-		
Chad	2017	6	18	76	2	18	79	18	19	63	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	78	-	-	-	-	-	-	-		
Congo	2017	48	34	18	32	43	25	56	29	14	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	61	-	-	-	-	-	-	-		
Côte d'Ivoire	2017	19	34	47	10	37	53	28	30	42	2016	-	27	73	-	24	76	-	-	-	-	2016	-	-	2	77	-	-	-	-	-	-	4		
Democratic Republic of the Congo	2017	4	11	84	2	11	87	7	12	81	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	62	-	-	-	-	-	-	-		
Equatorial Guinea	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	-		
Gabon	-	-	-	-	-	-	-	-	-	-	2015	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	-		
Gambia	2017	8	15	77	1	13	85	12	16	72	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	85	-	-	-	-	-	-	-		
Ghana	2017	41	42	17	37	43	20	45	41	14	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	0	92	-	-	-	-	-	-	0		
Guinea	2017	17	31	52	13	33	55	26	27	47	2016	-	29	71	-	29	71	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	-		
Guinea-Bissau	2017	6	5	89	5	4	92	9	6	85	2014	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	57	-	-	-	-	-	-		
Liberia	2017	1	1	97	1	1	98	2	1	97	2016	50	9	41	-	-	-	-	-	-	-	2016	36	-	-	53	36	-	-	-	-	-	-		
Mali	2017	52	25	23	39	31	30	70	16	13	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	-		
Mauritania	2017	43	37	20	29	38	33	55	36	8	2016	-	-	-	-	-	-	-	-	-	-	2016	-	-	-	84	-	-	-	-	-	-	-		
Niger	-	-	-	-	-	-	-	-	-	-	2016	14	-	-	14	-	-	-	-	-	-	2016	-	-	0	68	-	-	-	-	-	-	0		
Nigeria	2017	42	33	25	31	40	28	53	25	23	2016	-	-	-	-	-	-	-	-	-	-	2016	43	44	13	63	43	-	-	1	-	-	1		
Sao Tome and Principe	2017	41	14	45	47	17	36	39	13	48	2016	-	90	10	-	88	12	-	100	0	-	2016	-	-	-	-	-	-	-	-	-	-	-		
Senegal	2017	24	22	54	9	23	68	42	21	37	2016	22	-	-	25	-	-	10	-	-	-	2016	-	-	-	93	-	-	-	-	-	-	-		
Sierra Leone	2017	19	22	58	14	22	64	27	23	50	2016	-	36	64	-	-	-	-	-	-	-	2016	-	-	-	85	-	-	-	-	-	-	-		
West and Central Africa	2017	26	27	47	19	29	52	35	23	41	2016	-	-	-	-	-	-	-	-	-	2016	-	-	-	-	-	-	-	-	-	-	-	-		



Sources: Population data on Hygiene: Progress on household drinking water, sanitation and hygiene 2000-2017: Special focus on inequalities, JMP, 2019; WASH in Schools data: Drinking Water, Sanitation and Hygiene in Schools - Global baseline report 2018, JMP, 2018; WASH in Health Care Facilities data: WASH in Health Care Facilities; global baseline report, JMP, 2019

WHO/UNICEF Technical Brief: Water, Sanitation, Hygiene and Waste Management for COVID-19



This Technical Brief supplements existing *Infection, Prevention and Control (IPC)* documents by referring to and summarizing WHO guidance on water, sanitation and health care waste which is relevant for viruses (including coronaviruses).

This Technical Brief is written in particular for water and sanitation practitioners and providers and is regularly updated.

Check for new updates from: <https://www.who.int/publications-detail/water-sanitation-hygiene-and-waste-management-for-covid-19>

UNICEF Hygiene Programming Guidance Note COVID-19 Emergency Response





This Note is intended for WASH and C4D officers working together on the COVID-19 outbreak preparedness and response. It provides guidance on which aspects to consider when planning and implementing a hygiene promotion campaign as part

of a broader risk communication & community engagement strategy. The content is based on lessons learnt regarding gaps in hygiene promotion during past public health emergencies and general programming.

Check for new updates from: <https://washdata.org/monitoring/hygiene>

JMP Core Questions to Strengthen National Monitoring of SDG 6.1 and 6.2 on Water, Sanitation and Hygiene through Household Surveys and Censuses, Education Monitoring Information Systems (EMIS) and Health Management Information Systems (HMIS)

JMP Core questions on water, sanitation and hygiene for household surveys



During the MDG period the JMP partnered with major international survey programmes to develop and standardize core questions and indicators for use in national household surveys and censuses which were the prime data sources for the JMP.

Since publication of the JMP core questions in 2006, international survey programmes have aligned their questionnaires and the core questions have been used extensively in national

surveys and censuses around the world, leading to increased harmonization of national WASH data.

The indicators selected for monitoring the SDG WASH targets build on the established improved/unimproved facility type classification and introduce additional criteria, derived from the human rights to safe drinking water and sanitation, relating to the level of service provided. Since 2012, the JMP has been

collaborating with the UNICEF Multiple Indicator Cluster Survey programme and other inter-national survey programmes to develop and test new questions that address the SDG criteria for service levels, including an innovative new module for water quality testing in household surveys.

Harmonizing approaches to monitoring WASH in Schools

International consultations between 2011 and 2013 identified schools as a priority setting for global WASH monitoring post-2015. A preliminary UNICEF review identified 149 countries with existing national data on WASH in primary schools but, found indicator definitions were often missing and varied widely between national data sources, limiting the potential for cross-country comparison. The WHO/UNICEF JMP subsequently convened a global task team of WASH and education experts to review global norms and standards and develop a

harmonized set of core indicators and questions for monitoring basic drinking water, sanitation and hygiene services in schools. The official global indicator for SDG target 4.a refers to these harmonized definitions for WASH in schools ('as per WASH definitions') and the core questions and indicators are increasingly being incorporated into national Education Information Management Systems (EMIS) and major school surveys around the world. Continued collaboration between WASH and education stakeholders will be important to



support the progressive standardization of data collection and analysis for national and global reporting of WASH in schools.

Harmonizing approaches to monitoring WASH in Health Care Facilities



The **core indicators and questions in this guide** were developed by the Global Task Team for Monitoring WASH in Health Care Facilities (HCF), convened by the WHO/UNICEF Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (JMP), and working under the auspices of the Global Action Plan on WASH in HCF. They are derived from current global normative documents, national standards and regulations, questions that have been used in facility assessment surveys and censuses, and the normative criteria of the human rights to water and sanitation: accessibility, availability, quality and acceptability.

National estimates can be derived from **facility-based surveys** that collect data via interviews and observations by trained enumerators, as well as routine administrative reporting systems filled out by health care workers and managers (e.g. Health Management Information Systems [HMIS]). The core questions are intended to be:

1. applicable for use in different types of data collection mechanisms
2. relevant in all countries and settings,
3. focused on the minimum criteria for provision of basic WASH services in HCF.

For countries where the minimum criteria for basic WASH services are not aspirational and monitoring systems have the capacity for additional questions, the core questions can be supplemented with additional questions from a list of possible topics provided in Annex A of the guide. This document:

- describes why it is important to adopt a harmonized set of core questions for monitoring WASH in HCF;
- presents core indicator definitions for "basic" WASH services in HCF and associated service ladders;
- introduces core questions to support harmonized data collection to monitor WASH in HCF;
- provides an example of incorporating the core questions in national questionnaires (e.g. HMIS);
- presents examples of data analysis and tabulation to calculate coverage of "basic" WASH services in HCF; and
- suggests topics that could be used in detailed assessments that go beyond the minimum set of basic service indicators.

